

ROTARY VALVE

History	=
Bb Trumpets	
Bb Bass Trumpets	
Bb Flugelhorns	5
Eb Alto Horns	6
Bb, F, Bb/A Single French Horns	7
Bb/F Full Double French Horns	9
Bb Tenor Horns	10
Bb, C Baritones	12
Bb Tenor, F Bass Trombones	17
F Cimbasso	18
F Tubas	19
EEb Tubas	22
CC Tubas	23
BBb Tubas	25
F, EEb, BBb Helicons	31

PISTON VALVE

Bb/A Piccolo Trumpet	32
Bb, C Trumpets	32
Bb Cornets	33
Bb Flugelhorn	33
Eb Tenor/Alto Horn	34
Bb Euphoniums	34
Bb, Bb/F Trombones	35
EEb Tuba	36
CC Tuba	36
BBb Tubas	37
Basic Specification	38
Mouthpieces	39



The Červený wind instrument factory was founded in 1842 in Hradec Králové, an industrial town located 100 km east of Prague, Czech Republic. Its founder **Václav František Červený** (1819-1896) was an ingenious Czech wind instrument designer, whose importance can only be compared with Adolphe Sax (the designer of the saxophone). Only two years after the factory was established, Červený (at the age of 25) completed his first invention. The name of this instrument was the Cornon. The famous composer Richard Wagner became acquainted with the instrument in Dresden and had the design incorporated into the Wagner tuba.

In 1845 Červený constructed the BB and CC contrabass - large bore tubas which have often been copied. Among his additional patented instruments were Phonikon (1849), Baroxyton (1849), Tritonikon (1856), Alto Horn (1859), Alto, Tenor and Bass army valve trombones (1873) and Ftuba (1873).

In 1882-84 V. F. Červený designed the imperial Baritone, imperial Euphonium and imperial Bass. These instruments feature an extra large bore and bell and are still being manufactured today. It was Červený, who considerably improved the system of rotary valves for brass instruments in 1861 and again in 1873. This system has been copied numerous times since then and is still being utilized today. From the beginning, V. F. Červený understood the importance of the world market. In 1853 he exhibited his instruments in New York while at the same time his brother was opening the New York branch office. Another branch office was founded in Kiev at later date. Červený took part in many world and industrial exhibitions, e.g. Munich (1854), Paris (1855, 1867, 1878, 1889), London (1862), Vienna (1873), Philadelphia (1876), Barcelona (1888) and Chicago (1893).

Červený instruments consistently receive the highest honors. For example, the international Jury of the World's columbian exposition in Chicago in 1893 awarded Červený the highest prize and stated in the accompanying diploma: "Červený wind instruments deserve an award: for superior tone quality, being rich, resonant and of excellent carrying power. For perfection of finish and superiority of work manship."

In 1948 Červený factory became a part of the State Enterprise, AMATI Kraslice, one of the world's largest brass and woodwind manufacturers. In 1973 it was moved to the new premises at Hradec Králové, close to the original location.

Since 1992 Červený factory has been back in private hands as a part of AMATI-Denak, Ltd. The production range is concentrated on the large bore rotary valve instruments, the very best of the heritage of V. F. Červený. Today's production methods are a blend of modern technology and the world's finest Craftsmanship based on generations of experience.



Bb Trumpets

ROTARY VALVE



Bb Bass Trumpets

ROTARY VALVE

CTR 590

Bb Bass Trumpet 3 valves Material: Yellow brass Bore: 11,7 mm (0,460") Bell: 190 mm (7,5") Height: 460 mm (18,1") Weight: 1800 g (3,9 lbs)

Nickel silver mouthpipe 3rd slide trigger Mouthpiece: 14 11C-S Lacquered

CTR 790 - red brass finish

CTR 592-3

Bb Bass Trumpet 3 valves Material: Yellow brass Bore: 13,2 mm (0,512") Bell: 220 mm (8,7") Height: 600 mm (23,6") Weight: 2300 g (5,1 lbs) Nickel silver mouthpipe 3rd slide trigger Mouthpiece: A14 11C-E Lacquered

CTR 792-3 – red brass finish

CTR 592-4 - with 4 rotary valves,

without trigger

CTR 501RT

Bb Trumpet 3 valves Material: Yellow brass Bore: 11,1 mm (0,437") Bell: 135 mm (5,3") Height: 460 mm (18,1") Weight: 1200 g (2,6 lbs) Nickel silver mouthpipe (R) nickel silver bell rim 3rd slide trigger Mouthpiece: 11 7C Lacquered

CTR 701R

Bb Trumpet 3 valves Material: Red brass Bore: 11,1 mm (0,437") Bell: 135 mm (5,3") Height: 460 mm (18,1") Weight: 1200 g (2,6 lbs) Nickel silver mouthpipe (R) nickel silver bell rim 3rd slide trigger Mouthpiece: 11 7C Lacquered





Bb Flugelhorns

ROTARY VALVE

Bb Flugelhorn 3 valves Material: Yellow brass Bore: 11,1 mm (0,437") Bell: 145 mm (5,7") Height: 440 mm (17,3") Weight: 1200 g (2,6 lbs) Nickel silver mouthpipe (R) nickel silver bell rim

Mouthpiece: 12 1 1/2

Lacquered

CFH 501R


CFH 502R

Bb Flugelhorn 3 valves Material: Yellow brass Bore: 11,1 mm (0,437") Bell: 160 mm (6,3") Height: 440 mm (17,3") Weight: 1200 g (2,6 lbs) Nickel silver mouthpipe 3rd slide trigger (R) nickel silver bell rim Mouthpiece: 12 1 1/2 Lacquered



CFH 702R

Bb Flugelhorn 3 valves Material: Red brass Bore: 11,1 mm (0,437") Bell: 160 mm (6,3") Height: 440 mm (17,3") Weight: 1200 g (2,6 lbs) Nickel silver mouthpipe 3rd slide trigger (R) nickel silver bell rim Mouthpiece: 12 1 1/2 Lacquered



CFH 803

Excellent Mistrinanka
Bb Flugelhorn
3 valves
Material: Yellow brass
Bore: 11,1 mm (0,437")
Bell: 135 mm (5,3")
Height: 440 mm (17,3")
Weight: 1100 g (2,4 lbs)
Nickel silver mouthpipe
3rd slide trigger
Mouthpiece: 12 1 1/2
Lacquered
CFH 703 – red brass finish

CFH 503R – yellow brass finish with nickel silver bell rim



Eb Alto Horns

ROTARY VALVE





Bb Single French Horns

ROTARY VALVE



CHR 535

Bb Single French Horn

3 valves

Material: Yellow brass Bore: 11,8 mm (0,465") Bell: 310 mm (12,2") Height: 440 mm (17,3") Weight: 1800 g (3,9 lbs) Red brass mouthpipe Three-dimensional adjustable

finger lever Mouthpiece: 13 8-L Lacquered

CHR 735

Bb Single French Horn

3 valves Material: Red brass

Bore: 11,8 mm (0,465") Bell: 310 mm (12,2") Height: 440 mm (17,3") Weight: 1800 g (3,9 lbs) Red brass mouthpipe

Three-dimensional adjustable

finger lever Mouthpiece: 13 8-L Lacquered



F, Bb/A Single French Horns

ROTARY VALVE




CHR 536

F Single French Horn 3 valves Material: Yellow brass Bore: 11,8 mm (0,465") Bell: 310 mm (12,2") Height: 440 mm (17,3") Weight: 2000 g (4,4 lbs) Red brass mouthpipe Three-dimensional adjustable finger lever Mouthpiece: 13 8-L Lacquered

CHR 736 - red brass finish

CHR 537

Bb/A Single French Horn 4 valves Material: Yellow brass Bore: 11,8 mm (0,465") Bell: 310 mm (12,2") Height: 440 mm (17,3") Weight: 2400 g (5,2 lbs) Red brass mouthpipe Three-dimensional adjustable finger lever Mouthpiece: 13 8-L Lacquered CHR 737 – red brass finish




Bb/F Full Double French Horns




CHR 781D

Bb/F Full Double French Horn 4 valves Material: Red brass Bore: 11,7 mm (0,461") Bell: 305 mm (12") Height: 420 mm (16,5") Weight: 2600 g (5,7 lbs) Nickel silver mouthpipe Three-dimensional adjustable finger lever Engraved valve caps and levers Mouthpiece: 13 8-L Lacquered

CHR 781 – one piece bell **CHR 781DP** – with nickel silver screw bell





CHR 681D - with screw bell

Bb Tenor Horns

ROTARY VALVE





CTH 521-3

Bb Tenor Horn 3 valves Material: Yellow brass Bore: 13,2 mm (0,520") Bell: 240 mm (9,45") Height: 800 mm (31,4") Weight: 3500 g (7,7 lbs) Nickel silver mouthpipe Mouthpiece: 14 12C-E Lacquered

CTH 821-4

Bb Tenor Horn 4 valves Material: Yellow brass Bore: 13,2 mm (0,520") Bell: 240 mm (9,45") Height: 800 mm (31,4") Weight: 3800 g (8,3 lbs) Red brass mouthpipe Clockwork spring action with adjustable lever spring resistence Mouthpiece: 14 12C-E Lacquered



Hand engraved bell rim



Red brass mouthpipe



Bb Tenor Horns

ROTARY VALVE

Hand engraving on bell



 $\mathbf{1}^{\text{st}}$ slide trigger



Tuning slide plastic sign

CTH 721-4R

Bb Tenor Horn 4 valves Material: Red brass Bore: 13,2 mm (0,520") Bell: 240 mm (9,45") Height: 800 mm (31,4") Weight: 3500 g (7,7 lbs) Nickel silver mouthpipe (R) nickel silver bell rim Mouthpiece: 14 12C-E Lacquered



Engraved key levers



Engraved screw adjustable bottom caps

CTH 721-4GR

Deluxe Line Bb Tenor Horn 4 valves Material: Red brass Bore: 13,2 mm (0,520") Bell: 240 mm (9,45") Height: 800 mm (31,4") Weight: 3500 g (7,7 lbs) Decorating - engraving on the bell and rim Engraved nickel silver valve caps and machine spatulas 1st slide trigger (R) nickel silver bell rim (G) red brass mouthpipe Mouthpiece: 14 12C-E Lacquered CTH 721-4RTS - Premium, main

tuning slide trigger, engraving on the bell, rim, valve caps and machine spatulas, silver plated with lacquered bell interior

Bb Baritones

ROTARY VALVE







CEP 531-4

Bb Baritone 4 valves Material: Yellow brass Bore: 15,2 mm (0,598") Bell: 260 mm (10,2") Height: 800 mm (31,4") Weight: 3480 g (7,6 lbs) Nickel silver mouthpipe Mouthpiece: 04 6 1/2AL-E Lacquered

CEP 731-4R

Bb Baritone 4 valves Material: Red brass Bore: 15,2 mm (0,598") Bell: 260 mm (10,2") Height: 800 mm (31,4") Weight: 3480 g (7,6 lbs) Nickel silver mouthpipe (R) nickel silver bell rim Mouthpiece: 04 6 1/2AL-E Lacquered

Bb Baritones

ROTARY VALVE







CEP 731-4GR

Deluxe Line **Bb** Baritone 4 valves Material: Red brass Bore: 15,2 mm (0,598") Bell: 260 mm (10,2") Height: 800 mm (31,4") Weight: 3480 g (7,6 lbs) 1st valve trigger Decorating - engraving on the bell and rim Engraved nickel silver valve caps and machine spatulas (R) nickel silver bell rim (G) red brass mouthpipe Mouthpiece: 04 6 1/2AL-E Lacquered

CEP 731-4RTS

Premium **Bb** Baritone 4 valves Material: Red brass Bore: 15,2 mm (0,598") Bell: 260 mm (10,2") Height: 800 mm (31,4") Weight: 3550 g (7,8 lbs) Red brass mouthpipe Main tuning slide trigger Decorating – engraving on the bell and rim Engraved nickel silver valve caps and machine spatulas (R) nickel silver bell rim (S) Silver plated with lacquered Mouthpiece: 04 6 1/2AL-E

Bb, C Baritones

ROTARY VALVE







Bb Baritone 4 valves Material: Yellow brass Bore: 15,2 mm (0,598") Bell: 260 mm (10,2") Height: 800 mm (31,4") Weight: 3480 g (7,6 lbs) Red brass mouthpipe Clockwork spring action with adjustable lever spring resistance Mouthpiece: 04 6 1/2AL-E Lacquered



CEP 533-4

Bb Baritone
4 valves, upright model
Material: Yellow brass
Bore: dual 15,2 mm/16,2 mm (0,598")/(0,638")
Bell: 300 mm (11,8")
Height: 810 mm (31,8")
Weight: 4000 g (8,8 lbs)
Nickel silver mouthpipe
Mouthpiece: 04 6 1/2AL-E
Lacquered
CEP 533-5I – Bb Baritone with

5 rotary valves (4+1), bore: 16,2 mm (0,638"), bell: 300 mm (11,8"), upright model CEP 733-4R – red brass finish with nickel silver bell rim CEP 534-4 – C Baritone with 4 rotary valves, bore: dual 15 mm/16 mm (0,591")/(0,630"), bell: 280 mm (11"), upright model

Bb Baritones

ROTARY VALVE







CEP 536-4

Bb Baritone 4 valves Material: Yellow brass Bore: dual 15,2 mm/16,2 mm (0,598")/(0,638") Bell: 280 mm (11") Height: 800 mm (31,4") Weight: 3480 g (7,6 lbs) Nickel silver mouthpipe Mouthpiece: 04 6 1/2AL-E Lacquered

CEP 736-4R – red brass finish with nickel silver bell rim

CEP 737-4R

Bb Baritone 4 valves Material: Red brass Bore: dual 15,2 mm/16,2 mm (0,598")/(0,638") Bell: 300 mm (11,8") Height: 800 mm (31,4") Weight: 3480 g (7,6 lbs) Nickel silver mouthpipe (R) nickel silver bell rim Mouthpiece: 04 6 1/2AL-E Lacquered



CEP 739-4R

Bb Baritone 4 valves

Material: Red brass Bore: 15,2 mm (0,598") Bell: 260 mm (10,2") Height: 800 mm (31,4") Weight: 3480 g (7,6 lbs) Red brass mouthpipe (R) nickel silver bell rim Mouthpiece: 04 6 1/2AL-E

Lacquered

Bore: 16,2 mm (0,638") Bell: 300 mm (11,8") Height: 800 mm (31,4") Weight: 3480 g (7,6 lbs) Nickel silver mouthpipe Mouthpiece: 14 3G-E

Lacquered

CEP 741-4R - Bb Baritone Kaiser, red brass finish with nickel silver

bell rim

CEP 538-4

Bb Baritone BELLFRONT 4 valves, upright model Material: Yellow brass Bore: dual 15,2 mm/16,2 mm (0,598")/(0,638") Bell: 300 mm (11,8") Height: 810 mm (31,9") Weight: 4000 g (8,8 lbs) Nickel silver mouthpipe Mouthpiece: 04 6 1/2AL-E

Bb Tenor, F Bass Trombones





CVT 571-4

Bb Tenor Trombone 4 valves Material: Yellow brass Bore: 12,4 mm (0,490") Bell: 240 mm (9,45") Height: 1100 mm (43,3")

Weight: 2400 g (5,3 lbs) Yellow brass mouthpipe Mouthpiece: 14 11C-E

Lacquered

CVT 571-3 – with 3 rotary valves



F Bass Trombone "Cimbasso style" 5 valves

Material: Yellow brass Bore: 15,2 mm (0,598") Bell: 260 mm (10,2") Height: 1300mm (51,1") Weight: 3600 g (7,9 lbs) Yellow brass mouthpipe Mouthpiece: 08 25-L Lacquered

CVT 576-4

F Bass Trombone 4 valves Material: Yellow brass Bore: 15,2 mm (0,598") Bell: 260 mm (10,2") Height: 1140mm (44,8")

Weight: 3000 g (6,6 lbs) Yellow brass mouthpipe Mouthpiece: 04 1 1/2G-L



F Cimbasso





CFC 652-5I

Material: Yellow brass Bore: 18,2 mm (0,717") Height: 1160 mm (45,6") Weight: 6600 g (14,5 lbs) Nickel silver mouthpipe 5th and 2nd slide triggers 5th slide lowers by 1 1/4 tones Long adjustable peg Mouthpiece: 99 400-CB3

F Tubas ROTARY VALVE







CFB 631-4G

Junior F Tuba 1/2 size 4 valves Material: Yellow brass Bore: 16,2 mm (0,638") Bell: 400 mm (15,7") Height: 800 mm (31,4") Weight: 7200 g (15,8 lbs) (G) red brass mouthpipe Mouthpiece: 08 25-L Lacquered

CFB 641-4

F Tuba 4/4 size 4 valves Material: Yellow brass Bore: 18,2 mm (0,717") Bell: 380 mm (15") Height: 880 mm (34,6") Weight: 7200 g (15,8 lbs) Nickel silver mouthpipe Mouthpiece: 08 25-L Lacquered

F Tubas

ROTARY VALVE







CFB 653-5

Aria 3
F Tuba 4/4 size
5 valves (4+1)
Compact model
Material: Yellow brass
Bore: dual 18,2 mm/19,2 mm (0,717")/(0,756")
Bell: 400 mm (15,7")
Height: 820 mm (32,2")
Weight: 7400 g (16,3 lbs)
Red brass mouthpipe
Mouthpiece: 08 25-L
Lacquered

CFB 653-4 – Aria 3 F Tuba 4/4 size, 4 valves, bore: 18,2 mm (0,716"), bell: 400 mm (15,7"), Compact model



CFB 753-5IR

Aria 3
F Tuba 4/4 size
5 valves (5+0)
Compact model
Material: Red brass
Bore: dual 18,2 mm/19,2 mm (0,717")/(0,756")
Bell: 400 mm (15,7")
Height: 820 mm (32,2")
Weight: 7400 g (16,3 lbs)
Red brass mouthpipe
(R) nickel silver bell rim
Mouthpiece: 08 25-L
Lacquered

CFB 753-6R – Aria 3 F Tuba 4/4 size, 6 rotary valves (4+2), bore: dual 18,2 mm/19,2 mm -(0,716")/(0,756"), Compact model

F Tubas

ROTARY VALVE







CFB 651-5GR

Harmonia 3 F Tuba 4/4 size 5 valves (4+1) Material: Yellow brass Bore: dual 18,2 mm/19,2 mm -(0,717")/(0,756") Bell: 400 mm (15,7") Height: 930 mm (36,6") Weight: 7400 g (16,3 lbs) 5th slide trigger (R) nickel silver bell rim (G) red brass mouthpipe Mouthpiece: 08 25-L Lacquered

CFB 651-4 – F Tuba 4/4 size, 4 rotary valves, bore: 18,2mm (0,717"), bell: 400 mm (15,7")

CFB 851-6GZ

Concordia F Tuba 4/4 size 6 valves (4+2) Material: Yellow brass with red brass bell Bore: 19,2 mm (0,716") Bell: 400 mm (15,7") Height: 930 mm (36,6") Weight: 8800 g (19,4 lbs) (G) red brass mouthpipe Mouthpiece: 08 25-L Lacquered



EEb Tubas

ROTARY VALVE







CEB 641-4

EEb Tuba 4/4 size 4 valves Material: Yellow brass Bore: 18,2 mm (0,717") Bell: 400 mm (15,7") Height: 930 mm (36,6") Weight: 7000 g (15,4 lbs) Nickel silver mouthpipe Mouthpiece: 18 24AW-L Lacquered

CEB 651-4

EEb Tuba 4/4 size 4 valves Material: Yellow brass Bore: 18,2 mm (0,717") Bell: 400 mm (15,7") Height: 1020mm (40,1") Weight: 7200 g (15,8 lbs) Nickel silver mouthpipe Mouthpiece: 08 25-L Lacquered

CC Tubas ROTARY VALVE





CCB 883-5IZ

Opera
CC Tuba 3/4 size
5 valves (5+0)
Compact model
Material: Yellow brass finish with
red brass bell
Bore: 20,2 mm (0,795")
Bell: 400 mm (15,7")
Height: 810 mm (31,8")
Weight: 9200 g (20,2 lbs)
Red brass mouthpipe
2nd slide trigger
2 exchangable slides for the 5th
valve (3/4 tone and 1 1/4 tone
length)

Mouthpiece: 18 24AW-L

Lacquered

CCB 883-5Z – 5 valves (4+1)

CCB 603-4R

Piggy CC Tuba 4/4L size 4 valves Compact model Material: Yellow brass Bore: 21,2 mm (0,834") Bell: 420 mm (16,5") Height: 840 mm (33") Weight: 8580 g (18,9 lbs) Nickel silver mouthpipe (R) nickel silver bell rim Mouthpiece: 18 24AW-L Lacquered

CCB 603-5R – with 5 valves







Symphonia II CC Tuba 4/4 size 5 valves (5+0) Material: Yellow brass Bore: dual 20,2 mm/21,2 mm -(0,795")/(0,835") Bell: 450 mm (17,7") Height: 920 mm (36,2") Weight: 9800 g (21,6 lbs) Nickel silver mouthpipe 2nd slide trigger 2 exchangable slides for the 5th valve (3/4 tone and 11/4 tone length) (R) nickel silver bell rim Mouthpiece: 18 24AW-L

CCB 696-5IR

CC Kaiser Tuba 6/4 size 5 valves (5+0) Material: Yellow brass Bore: 21,2 mm (0,835") Bell: 500 mm (19,6") Height: 1020 mm (40,1") Weight: 9800 g (21,6 lbs) Nickel silver mouthpipe 2nd slide trigger 2 exchangable slides for the 5th valve (3/4 tone and 11/4 tone length) (R) nickel silver bell rim Mouthpiece: 18 24AW-L Lacquered



ROTARY VALVE







CBB 671-4G

Junior BBb Tuba 1/4 size 4 valves Material: Yellow brass Bore: 16,2 mm (0,638") Bell: 400 mm (15,7") Height: 800 mm (31,4") Weight: 7000 g (15,4 lbs) (G) red brass mouthpipe Mouthpiece: 08 25-L Lacquered

CBB 783-4R

Arion 4
BBb Tuba 3/4 size
4 valves
Compact model
Material: Red brass
Bore: 20,2 mm (0,795")
Bell: 400 mm (15,7")
Height: 860 mm (33,8")
Weight: 8600 g (18,9 lbs)
Nickel silver mouthpipe
(R) nickel silver bell rim
Mouthpiece: 18 24AW-L
Lacquered

CBB 683-4 – yellow brass without nickel silver bell rim



ROTARY VALVE







CBB 883-5Z

Opera II BBb Tuba 3/4 size 5 valves (4+1) Compact model Material: yellow brass with red brass bell

Bore: 20,2 mm (0,795")
Bell: 400 mm (15,7")
Height: 860 mm (33,8")
Weight: 9200 g (20,2 lbs)
Red brass mouthpipe
2 exchangable slides for the 5th valve (3/4 tone and 1 1/4 tone

length) Mouthpiece: 18 24AW-L

Lacquered

CBB 883-5IZ – 5 valves but (5+0)



CBB 603-4

Piggy BBb Tuba 4/4L size 4 valves Compact model Material: Yellow brass Bore: 21,2 mm (0,835") Bell: 420 mm (16,5") Height: 860 mm (33,8") Weight: 9000 g (19,8 lbs) Nickel silver mouthpipe Mouthpiece: 18 24AW-L Lacquered

CBB 603-4R – with nickel silver bell rim





ROTARY VALVE







CBB 681-4

BBb Tuba 4/4 size 4 valves Material: Yellow brass Bore: 20,2 mm (0,795") Bell: 400 mm (15,7") Height: 980 mm (38,5") Weight: 9300 g (20,5 lbs) Nickel silver mouthpipe Mouthpiece: 18 24AW-L Lacquered

CBB 781-4R

BBb Tuba 4/4 size 4 valves Material: Red brass Bore: 20,2 mm (0,795") Bell: 400 mm (15,7") Height: 980 mm (38,5") Weight: 9300 g (20,5 lbs) Nickel silver mouthpipe (R) nickel silver bell rim Mouthpiece: 18 24AW-L Lacquered

CBB 781-4 – without nickel silver bell rim



ROTARY VALVE





CBB 682-5

Jubilant
BBb Tuba 4/4 size
5 valves (4+1)
Material: Yellow brass
Bore: 20,2 mm (0,795")
Bell: 400 mm (15,7")
Height: 920mm (36,2")
Weight: 9200 g (20,2 lbs)
Nickel silver mouthpipe
Mouthpiece: 18 24AW-L
Lacquered

CBB 682-5R – with nickel silver bell rim

CBB 682-4 – with 4 valves



Marek Filla, tubist of Czech Army Central Band

CBB 686-5

Symphonia 3
BBb Tuba 4/4L size
5 valves (4+1)
Material: Yellow brass
Bore: 21,2 mm (0,835")
Bell: 450 mm (17,7")
Height: 970 mm (38,1")
Weight: 9900 g (21,8 lbs)
Nickel silver mouthpipe
2nd slide trigger
2 exchangable slides for the 5th valve (3/4 tone and 1 1/4 tone length)
Mouthpiece: 18 24AW-L
Lacquered

ROTARY VALVE







CBB 684-4G

Bohemia BBb Tuba 4/4 L size 4 valves Material: Yellow brass Bore: 21,2 mm (0,835") Bell: 420 mm (16,5 ") Height: 925 mm (36,4") Weight: 8300 g (18,2 lbs) (G) red brass mouthpipe Mouthpiece: 18 24AW-L Lacquered

CBB 691-4R

BBb Kaiser Tuba 5/4 size 4 valves Material: Yellow brass Bore: 21,2 mm (0,835") Bell: 500 mm (19,7") Height: 1070 mm (42,1") Weight: 11000 g (24,2 lbs) Nickel silver mouthpipe (R) nickel silver bell rim Mouthpiece: 18 24AW-L Lacquered



CBB 693-4RZ

BBb Kaiser Tuba 6/4 size 4 valves Compact model Material: Yellow brass with red brass bell Bore: 21,2 mm (0,835")

Bore: 21,2 mm (0,835")
Bell: 500 mm (19,7")
Height: 950mm (37,4")
Weight: 10000 g (22 lbs)
Nickel silver mouthpipe
(R) nickel silver bell rim
Mouthpiece: 18 24AW-L
Lacquered

CBB 696-4

BBb Kaiser Tuba 6/4 size 4 valves

Material: Yellow brass Bore: 21,2 mm (0,835") Bell: 500 mm (19,7") Height: 1100mm (43,3") Weight: 11200 g (24,6 lbs) Nickel silver mouthpipe Mouthpiece: 18 24AW-L





CHL 621-4

F Helicon 4 valves Material: Yellow brass Bore: 18,2 mm (0,717") Bell: 400 mm (15,7") Height: 1100 mm (43,3") Weight: 7200 g (15,8 lbs) Yellow brass mouthpipe Mouthpiece: 08 25-L Lacquered

CHL 631-4

BBb Helicon 4 valves Material: Yellow brass Bore: 20,2 mm (0,717") Bell: 500 mm (19,7") Height: 1150 mm (45,2") Weight: 8400 g (18,5 lbs) Yellow brass mouthpipe Mouthpiece: 18 24AW-L Lacquered CHL 611-4 – EEb Helicon, 4

CHL 611-4 – EEb Helicon, 4 valves, bore 18.2mm (.717"), bell 450mm (17.7")



Bb/A Piccolo Trumpet

PISTON VALVE



VCF-TR6018TS

Bb/A Piccolo Trumpet 4 valves Material: Yellow brass Bore: 10,6 mm (0,417") Bell: 100 mm (3,9") Height: 350 mm (13,7") Weight: 970 g (2,1 lbs) Nickel silver mouthpipe 3rd valve trigger 4th valve fixed pinkie hook Mouthpiece: 11 7EW (S) – silver plated



Bb, C Trumpets

PISTON VALVE

VFC-TR6010S

Bb Trumpet 3 valves Material: Yellow brass Bore: 11,7 mm (0,460") Bell: 125 mm (4,9") Height: 550 mm (21,6") Weight: 1100 g (2,4 lbs) Yellow brass mouthpipe 1st slide thumb saddle 3rd slide fixed finger ring Mouthpiece: 11 7C (S) – silver plated



VCF-TR6012S

C Trumpet 3 valves Material: Yellow brass Bore: 11,7 mm (0,460") Bell: 125 mm (4,9") Height: 550 mm (21,6") Weight: 1060 g (2,3 lbs) Yellow brass mouthpipe 1st slide thumb saddle 3rd slide fixed finger ring Mouthpiece: 11 7C (S) – silver plated





Bb Cornets PISTON VALVE





VCF-CR6126

Emperor Bb Cornet 3 valves Material: Red brass Bore: 11,7 mm (0,461") Bell: 125 mm (4,9") Height: 340 mm (13,3") Weight: 1040 g (2,2 lbs) Red brass mouthpipe 1st and 3rd slide trigger Mouthpiece: 10 7C Lacquered



Emperor Premium
Bb Cornet
3 valves
Material: Red brass
Bore: 11,7 mm (0,461")
Bell: 125 mm (4,9")
Height: 340 mm (13,3")
Weight: 1100 g (2,4 lbs)
Red brass mouthpipe
3rd slide trigger
Mouthpiece: 10 7C
Silver plated with gold plated
bell interior

VFC-CR8126RS - made of red brass and silver plated



EMPEROR

PISTON VALVE



VFC-FH6232RS II

Bb Flugelhorn 3 valves Material: Red brass Bore: 11,1 mm (0,437") Bell: 160 mm (6,3") Height: 480 mm (18,9") Weight: 1200 g (2,6 lbs) Nickel silver mouthpipe 3rd slide trigger Mouthpiece: 12 1 1/2 (S) – silver plated



Eb Tenor/Alto Horn

PISTON VALVE



Bb Euphoniums

PISTON VALVE

VFC-EP6566II

Emperor Bb Euphonium Professional compensating model 4 valves (3+1) Material: Yellow brass

Bore: dual 14,7 mm/16,5 mm (0,580")/(0,650")

Bell: 305 mm (12") Height: 670 mm (26,3") Weight: 4300 g (9,5 lbs) Yellow brass mouthpipe Mouthpiece: 04 6 1/2AL-L

Lacquered











VFC-EP7566II

Emperor Premium Bb Euphonium Professional compensating model 4 valves (3+1) Material: Yellow brass with red brass bell Bore: dual 14,7 mm/16,5 mm (0,580")/(0,650") Bell: 305 mm (12") Height: 670 mm (26,3") Weight: 4300 g (9,5 lbs) Yellow brass mouthpipe Main tuning slide trigger Mouthpiece: 04 6 1/2AL-L Silver plated with red brass bell with gold plated bell interior



Bb, Bb/F Trombones



Bb Slide Trombone Material: Yellow brass Bore: 12,7 mm (0,500") Bell: 205 mm (8") Height: 1700 mm (66,9") Weight: 1400 g (3,1 lbs) Mouthpiece: 14 11C-S Lacquered



VFC-SL6673R

Bb/F Slide Trombone Material: Red brass Bore: dual 12,7 mm/13,4 mm (0,500")/(0,528") Bell: 215 mm (8,4") Height: 1700 mm (66,9") Weight: 1700 g (3,7 lbs) Open wrap F attachment Mouthpiece: 14 6 1/2AL-S

Lacquered



VFC-SL6677

Bb/F Slide Trombone Material: Yellow brass Bore: 13,8 mm (0,543") Bell: 215 mm (8,4") Height: 1200 mm (47,2") Weight: 1900 g (4,1 lbs) Wide open F Attachment Hagmann Valve Mouthpiece: 04 6 1/2AL-L





VFC-SL6677HR

Bb/F Slide Trombone Material: Red brass Bore: 13,8 mm (0,543") Bell: 215 mm (8,4") Height: 1200 mm (47,2") Weight: 1900 g (4,1 lbs) Wide open F Attachment Hagmann Valve Mouthpiece: 04 6 1/2AL-L Lacquered



EEb Tuba, CC Tuba

PISTON VALVE



VFC-EB6888S

Emperor
EEb Tuba 5/4 size
Professional compensating model
4 valves (3+1)
Material: Yellow brass
Bore: dual 17,5 mm/18,5 mm
(0,689")/(0,728")
Bell: 485 mm (19")
Height: 900 mm (35,4")
Weight: 8100 g (17,8 lbs)
Red brass mouthpipe
Mouthpiece: 18 24AW-S

Silver plated



VFC-CB6991

CC Tuba 4/4 size 5 valves (4 piston + 1 rotary valve action) Material: Yellow brass Bore: 18,5 mm (0,728") Bell: 450 mm (17,7") Height: 935 mm (36,8") Weight: 9050 g (20,9 lbs) Yellow brass mouthpipe Mouthpiece: 18 24AW-S Lacquered

PISTON VALVE







VFC-BB4992-4T

BBb Tuba 4/4L size 4 valves (Top Action) Material: Yellow brass Bore: dual 18,5 mm/19,5mm (0,728")/768") Bell: 485 mm (19") Height: 1030 mm (40,5") Weight: 9300 g (20,5 lbs) Red brass mouthpipe Mouthpiece: 18 24AW-S Lacquered

VCF-BB4993-4F

Junior BBb Tuba 1/4 size 4 valves (Front Action) Material: Yellow brass Bore: 16,2 mm (0,640") Bell: 400 mm (15,7") Height: 800 mm (31,5") Weight: 8900 g (19,6 lbs) Yellow brass mouthpipe Mouthpiece: 18 24AW-S Lacquered





Basic Specification

ROTARY VALVE



Bell

Traditional large V. F. Červený bell provides superior response and sound projection. Bell rims are reinforced with tempered brass wire. Nickel silver bell rim is optional.

Mouthpipe and mouthpiece .

The mouthpipe design is a crucial factor in acoustic quality of a tuba. All Červený tuba mouthpipes are bent by hand. The mouthpipe of each Červený model has been designed to give optimum results: magnificent Červený sound and balanced performance across the entire range. Each tuba is supplied with a silver plated mouthpiece.

Marking of mouthpieces

follow link:

http://www.vfcerveny.cz/en/company/download

Adjustable thumb ring

It enables every tuba player to achieve a comfortable position of the right hand.

Finger levers and spring ------mechanism

Ergonomically designed finger levers contribute to a playing comfort. A spiral spring mechanism ensures years of trouble free function and is very easy to repair.

Tuning and valve slides ---

Nickel silver inner and outer slides are easy to operate, even during performance.



600 series 700

Instruments are made of yellow brass with nickel silver inner and outer slides and trimming.



700 series

Instruments are made of red brass tuba is more mellow and warm. They come with nickel silver inner and outer slides, trimming and mouthpipe.



800 series

Instruments are made of special yellow brass with a lower content of copper with nickel silver inner and outer slides and trimming.

R Nickel silver bell rim

Increases the bell protection against unwanted incidental dents and gives the tuba a classy look



Body

The highest quality sheet-brass as well as brass and nickel silver tubing are used. Traditional V. F. Červený cutting patterns of body and bell contribute to perfect intonation and full warm sound. Thanks to hydraulic bending all the conical parts are identical and all manufactured tubas achieve the highest standard.

Minibal valve linkage system

provides ultimate smooth and quiet operation as well as extended durability.



Rotary valve mechanism

Rotary valves and casings are precision machined on modern CNC equipment and hand lapped for a smooth and noiseless action. All made of nickel silver to reach smoother and more reliable action.

Lacquered

All instruments are Lacquereded for easy maintenance and perfect appearance.

High quality two-component burned-out lacquered is used.



S Silver plate finish

Mouthpieces



Trumpet Mouthpieces

Serie	Model	Cup diameter		Depth of cup	Rim diameter		Shank diameter	
Heavy weight	11 7C	16,2 mm	.638"	medium shallow	10,4 mm	.409"	9,7 mm	.382"
Heavy weight	11 7EW	15,8 mm	.622"	extremely shallow	11,9 mm	.469"	9,7 mm	.382"

Cornet Mouthpieces

Serie	Model	Cup diameter		Depth of cup	Rim diameter		Shank diameter	
Heavy weight	10 7C	16,2 mm	.638"	medium shallow	10,8 mm	.425"	8,7 mm	.343"

Flugelhorn Mouthpiece

Serie	Model	Cup diameter		Depth of cup	Rim diameter		Shank diameter	
Heavy weight	12 1 1/2	17 mm	.669"	deep	10,3 mm	.406"	9,6 mm	.378"

French Horns Mouthpieces

Serie	Model	Cup diameter		Depth of cup	Rim diameter		Shank diameter	
Standard	13 8-L	17,25 mm	.679"	medium deep	7,7 mm	.303"	7,6 mm	.299"

Cimbasso Mouthpiece

Serie	Model	Cup dia	meter	Depth of cup	Rim dia	meter	Shank di	iameter
Standard	99 400-CB3	32,6 mm	1.283"	very deep	16,4 mm	.646"	13,3 mm	.524"

Alto Horns Mouthpieces

Serie	Model	Cup diameter		Depth of cup	Rim diameter		Shank diameter	
Heavy weight	16 5-E	19,2 mm	.756"	medium deep	10,9 mm	.429"	10,2 mm	.402"

Trombone, Tenor Horn, Baritone and Bass Trumpet Mouthpieces

Serie	Model	Cup diameter		Depth of cup	Rim diameter		Shank diameter	
Heavy weight	14 11C-S	24,7 mm	.972"	medium shallow	13,8 mm	.543"	10,7 mm	.421"
Heavy weight	14 11C-E	24,7 mm	.972"	medium shallow	13,8 mm	.543"	11,7 mm	.461"
Heavy weight	14 12C-E	24,5 mm	.965"	medium shallow	13,9 mm	.547"	11,7 mm	.461"
Standard	04 6 1/2AL-E	25,4 mm	1"	medium deep	14 mm	.551"	11,7 mm	.461"
Heavy weight	14 3G-E	26,3 mm	1.035"	deep	12,7 mm	.500"	11,7 mm	.461"
Standard	04 1 1/2G-L	26,9 mm	1.059"	deep	12,5 mm	.492"	12,6 mm	.496"
Standard	04 6 1/2AL-L	25,4 mm	1"	medium deep	14 mm	.551"	12,6 mm	.496"
Heavy weight	14 6 1/2AL-S	25,4 mm	1"	medium deep	14 mm	.551"	12,6 mm	.496"

Tuba, Helicon Mouthpieces

Serie	Model	Cup diameter		Depth of cup	Rim dia	meter	Shank di	ameter
Heavy weight	18 24AW-S	31,2 mm	1.228"	deep	17,9 mm	705"	13,2 mm	.520"
Heavy weight	18 24AW-L	31,2 mm	1.228"	deep	17,9 mm	.705"	13,7 mm	.539"
Standard	08 25-L	30,6 mm	1.205"	medium deep	15,4 mm	.606"	13,7 mm	.539"



